Missouri Department of Natural Resources



PUBLIC NOTICE

DRAFT MISSOURI STATE OPERATING PERMIT

DATE: 10-8-2004

In accordance with the state Clean Water Law, Chapter 644, RSMo, Clean Water Commission regulation 10 CSR 20-6.010, and the federal Clean Water Act, the applicants listed herein have applied for authorization to either discharge to waters of the state or to operate a no-discharge wastewater treatment facility. The proposed permits for these operations are consistent with applicable water quality standards, effluent standards and/or treatment requirements or suitable timetables to meet these requirements (see 10 CSR 20-7.015 and 7.031). All permits will be issued for a period of five years, unless noted otherwise in the Public Notice for that discharge.

On the basis of preliminary staff review and the application of applicable standards and regulations, the Missouri Department of Natural Resources (MDNR), as administrative agent for the Missouri Clean Water Commission, proposes to issue a permit(s) subject to certain effluent limitations, schedules, and special conditions. The proposed determinations are tentative pending public comment.

Persons wishing to comment on the proposed permit conditions are invited to submit them in writing to the Department of Natural Resources, Water Protection Program, P.O. Box 176, Jefferson City, Missouri 65102, ATTN: Peter Goode, Professional Engineer. Please include the permit number in all comment letters.

Comments should be confined to the issues relating to the proposed action and permit(s) and the effect on water quality. The MDNR may not consider as relevant comments or objections to a permit based on issues outside the authority of the Clean Water Commission, (see Curdt v. Mo. Clean Water Commission, 586 S.W.2d 58 Mo. App. 1979).

All comments must be postmarked by November 8, 2004 or received in our office by 5:00 p.m. on November 11, 2004. The requirement of a signed document makes it impossible to accept email comments for consideration at this time. Comments will be considered in the formulation of all final determinations regarding the applications. If response to this notice indicates significant public interest, a public meeting or hearing may be held after due notice for the purpose of receiving public comment on the proposed permit or determination. Public hearings and/or issuance of the permit will be conducted or processed according to 10 CSR 20-6.020.

Copies of all draft permits and other information including copies of applicable regulations are available for inspection and copying at DNR's website, http://www.dnr.mo.gov/wpscd/wpcp/homewpcp.htm, or at the Department of Natural Resources, Water Protection Program, 205 Jefferson Street, P.O. Box 176, Jefferson City, Missouri 65102, between the hours of 8:00 a.m. and 5:00 p.m., Monday through Friday.

Public Notice Date: 10-8-04 Permit Number: MO-0022942 Southwest Regional Office					
FACILITY NAME AND ADDRESS	NAME AND ADDRESS OF OWNER				
Bismarck Wastewater Treatment Facility	City of Bismarck				
Highway 32	924 Center Street				
Bismark, MO 63624	Bismarck, MO 63624				
RECEIVING STREAM & LEGAL DESCRIPTION	TYPE OF DISCHARGE				
Unnamed Tributary to Flat River Creek (U)	Domestic, reissue				
NE ¼, SE ¼, Sec. 5, T35N, R4E, St. Francis County					

STATE OF MISSOURI

DEPARTMENT OF NATURAL RESOURCES



Pollution Control Act (Public Law 92-	500, 92 nd Congress) as ar	nended,	e rederar water			
Permit No.	MO-0022942					
Owner: Address:	City of Bismarck 924 Center Street, Bismarck, MO 63624					
Continuing Authority: Address:	Same as above Same as above					
Facility Name: Address:	Bismarck Wastewater Treatment Facility Highway 32, Bismarck, MO 63624					
Legal Description:	NE 1/4, SE 1/4, Sec. 5, T35N, R4E, St. Francois County					
Receiving Stream: First Classified Stream and ID: USGS Basin & Sub-watershed No.:	Unnamed Tributary to Flat River Creek (U) Flat River Creek (C) (2168) (07140104 - 010005)					
s authorized to discharge from the factors set forth herein:	ility described herein, in	accordance with the effluent limitations and monitoring	ng requirements			
FACILITY DESCRIPTION Outfall #001 - POTW- SIC #4952 Peak flow basin. Flow is dependent on precipitation.						
(continued on next page)						
		issouri Clean Water Law and the National Pollutant D This permit may be appealed in accordance with Sect				
Effective Date		Stephen M. Mahfood, Director, Department of Natural Resources Executive Secretary, Clean Water Commission				
Expiration Date 40 780-0041 (10-93)	ī	im Hull, Director of Staff, Clean Water Commission				

Facility Description (continued)

<u>Outfall #002</u> – POTW – SIC #4952

Oxidation ditch/aerobic digester/sludge is land applied.

Design population equivalent is 2,500. Design flow is 250,000 gallons per day. Actual flow is 200,000 gallons per day.

Design sludge production is 52.5 dry tons/year. Actual sludge production is 15.0 dry tons/year.

PAGE NUMBER 3 of 5

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

PERMIT NUMBER MO-0022942

The permittee is authorized to discharge from outfall(s) with serial number(s) as specified in the application for this permit. The final effluent limitations shall become effective upon issuance and remain in effect until expiration of the permit. Such discharges shall be controlled, limited and monitored by the permittee as specified below:

		FINAL EFFLUENT LIMITATIONS			MONITORING REQUIREMENTS	
OUTFALL NUMBER AND EFFLUENT PARAMETER(S)	UNITS	DAILY MAXIMUM	WEEKLY AVERAGE	MONTHLY AVERAGE	MEASUREMENT FREQUENCY	SAMPLE TYPE
Outfall #001 (Note 1)						
Flow	MGĐ	/*//		*	once/week/discharg	e 24 hr. estimate
Biochemical Oxygen Demand ₅ **	mg(L)		45		once/week/discharg	e grab
Total Suspended Solids**	mg/L	V	45		once/week/discharg	e grab
pH – Units	\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	***		***	once/week/discharg	e grab
0.45:11.11002.01:44.2)						
Outfall #002 (Note 2)						
Flow	MGD	*		*	once/weekday****	24 hr. estimate
Biochemical Oxygen Demand ₅ **	mg/L		45	30	once/month	24 hr. composite
Total Suspended Solids**	mg/L		45	30	once/month	24 hr. composite
pH – Units	SU	****		****	once/month	grab

MONITORING REPORTS SHALL BE SUBMITTED MONTHLY; THE FIRST REPORT IS DUE DISCHARGE OF FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.

THERE SHALL BE NO

B. STANDARD CONDITIONS

IN ADDITION TO SPECIFIED CONDITIONS STATED HEREIN, THIS PERMIT IS SUBJECT TO THE ATTACHED <u>Parts I & III</u> STANDARD CONDITIONS DATED <u>October 1, 1980 and August 15, 1994</u>, AND HEREBY INCORPORATED AS THOUGH FULLY SET FORTH HEREIN.

MO 780-0010 (8/91)

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (continued)

- * Monitoring requirement only.
- ** This facility is required to meet a removal efficiency of 85% or more.
- *** pH is measured in pH units and is not to be averaged. The pH is to be maintained at or above 6.0 pH units.
- **** Once each weekday means: Monday, Tuesday, Wednesday, Thursday and Friday.
- ***** pH is measured in pH units and is not to be averaged. The pH is limited to the range of 6.0-9.0 pH units.

Note 1 – Discharge from peak flow basin is only allowed when hydraulic capacity of treatment plant is exceeded and storage capacity of peak flow basin is exceeded. Under normal circumstances flows into the peak flow basin are to be pumped back to the of the treatment plant. Enough water shall be maintained in the basin to protect the seal.

Note 2 – Composite samples for biological oxygen demand and total suspended solids shall be made up from a minimum of four grab samples collected within a 24 hour period with a minimum of two hours between each grab sample.

C. SPECIAL CONDITIONS

- 1. This permit may be reopened and modified, or alternatively revoked and reissued to:
 - (a) Comply with any applicable effluent standard or limitation issued or approved under Sections 301(b)(2)(C) and (D), 304(b)(2), and 307(a) (2) of the Clean Water Act, if the effluent standard or limitation so issued or approved:
 - (1) contains different conditions or is otherwise more stringent than any effluent limitation in the permit; or
 - (2) controls any pollutant not limited in the permit.
 - (b) Incorporate new or modified effluent limitations or other conditions, if the result of a waste load allocation study, toxicity test or other information indicates changes are necessary to assure compliance with Missouri's Water Quality Standards.
 - (c) Incorporate new or modified effluent limitations or other conditions if, as the result of a watershed analysis, a Total Maximum Daily Load (TMDL) limitation is developed for the receiving waters which are currently included in Missouri's list of waters of the state not fully achieving the state's water quality standards, also called the 303(d) list. The permit as modified or reissued under this paragraph shall also contain any other requirements of the Clean Water Act then applicable.
- 2. All outfalls must be clearly marked in the field.
- 3. Changes in Discharges of Toxic Substances

The permittee shall notify the Director as soon as it knows or has reason to believe:

- (a) That any activity has occurred or will occur which would result in the discharge of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels:"
 - (1) One hundred micrograms per liter (100 μ g/L);
 - (2) Two hundred micrograms per liter (200 μg/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 μg/L) for 2,5 dinitrophenol and for 2-methyl-4, 6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
 - (3) Five (5) times the maximum concentration value reported for the pollutant in the permit application;
 - (4) The level established in Part A of the permit by the Director.
- (b) That they have begun or expect to begin to use or manufacture as an intermediate or final product or byproduct any toxic pollutant, which was not reported in the permit application.
- 5. Report as no-discharge when a discharge does not occur during the report period.
- 6. Water Quality Standards
 - (a) Discharges to waters of the state shall not cause a violation of water quality standards rule under 10 CSR 20-7.031, including both specific and general criteria.
 - (b) General Criteria. The following general water quality criteria shall be applicable to all waters of the state at all times including mixing zones. No water contaminant, by itself or in combination with other substances, shall prevent the waters of the state from meeting the following conditions:
 - (1) Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly or harmful bottom deposits or prevent full maintenance of beneficial uses;
 - (2) Waters shall be free from oil, scum and floating debris in sufficient amounts to be unsightly or prevent full maintenance of beneficial uses;
 - (3) Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor or prevent full maintenance of beneficial uses;
 - (4) Waters shall be free from substances or conditions in sufficient amounts to result in toxicity to human, animal or aquatic life;
 - (5) There shall be no significant human health hazard from incidental contact with the water;
 - (6) There shall be no acute toxicity to livestock or wildlife watering;
 - (7) Waters shall be free from physical, chemical or hydrologic changes that would impair the natural biological community;
 - (8) Waters shall be free from used tires, car bodies, appliances, demolition debris, used vehicles or equipment and solid waste as defined in Missouri's Solid Waste Law, section 260.200, RSMo, except as the use of such materials is specifically permitted pursuant to section 260.200-260.247.

C. SPECIAL CONDITIONS (continued)

- 7. Sludge and Biosolids Use For Domestic Wastewater Treatment Facilities
 - (a) Permittee shall comply with the pollutant limitations, monitoring, reporting, and other requirements in accordance with the attached permit Standard Conditions.
 - (b) If sludge is not removed by a contract hauler, permittee is authorized to land apply biosolids. Permit Standard Conditions, Part III shall apply to the land application of biosolids. Permittee shall notify the department prior to the planned removal of biosolids. The department may require submittal of a biosolids management plan for department review and approval as determined appropriate on a case-by case basis.
- 8. The permittee shall submit a report semi-annually on July 1st and January 1st with the Discharge and Monitoring reports which address measures taken to locate and eliminate sources of infiltration and inflow into the City's collection system.

D. SCHEDULE OF COMPLIANCE

- 1. The permit holder shall commission an engineering evaluation of the wastewater treatment system and collection system.
- 2. By July 31, 2005, submit to the department an engineering report. The report must addresses the elimination of sludge releases into the receiving stream, as well as reducing inflow and infiltration into the collection system.
- 3. If a construction permit is not necessary, complete upgrades or improvements by November 30, 2005. A report detailing improvements made shall be submitted to the department to demonstrate completion of this schedule.
- 4. If a construction permit is necessary to eliminate the discharges of sludge, the permittee shall submit application for construction permit, plans & specifications by November 30, 2005.
- 5. By November 30, 2007, complete upgrades or improvements under the construction permit.